## **Catherine Dorau**

4.2.18 INDA 4/2/18 T. Dumais
B. Bermingham

From:

Chuck Guarino

Sent:

Monday, April 2, 2018 3:26 PM

To:

Catherine Dorau

Cc:

Duane Martin

Subject:

54 Old Oak Road

## Cathy,

Based on my review of the plan titled "Perimeter Survey / Dependent Resurvey Grading Plan prepared for Realty Holdings, LLC 54 Old Oak Road West Hartford, Connecticut" I offer the following comments:

- 1.) The plan exceeds the maximum allowable overland flow distance to the top of the slope. (Connecticut E&S Manual page 5-2-7)
- 2.) To protect the trees at the bottom of the slope I recommend the toe of the slope should 3 or 4 feet from the property line.
- 3.) The storm water runoff needs to be diverted away from the steep slope.
- 4.) The plans need to clarify what type of surface treat will be placed around the pool, sidewalks, patio, lawn, etc.

Charles Guarino, P.E.

**Civil Engineer II** 

**Town of West Hartford** 

**Department of Community Development: Engineering Division** 

50 South Main Street, Room 204 | West Hartford CT 06107 | t 860.561.7544



Subject:

FW: 54 Old Oak Road

## Late Item #7 - IWWA - 4.2.18

From: Klaudia Rodrigues [mailto:Klaudia.Rodrigues@carringtonms.com]

Sent: Monday, April 2, 2018 4:45 PM

To: Catherine Dorau <cdorau@WestHartfordCT.gov>

Cc: Todd Dumais < Todd. Dumais@WestHartfordCT.gov>; Brittany Bermingham

<Brittany.Bermingham@WestHartfordCT.gov>

Subject: RE: 54 Old Oak Road

## Hi Catherine,

The recommendations that Mr. Guarino made were sent to our engineer, Rick Martel and are being calculated and plotted on proposed fill plan.

All 4 recommendations Mr. Guarino made are reasonable and will be used.

I would like to get the wetlands approval contingent on Mr. Guarino's recommendations - if possible and necessary, can you please forward our agreement to wetlands.

Thank you!

Confidentiality Notice: This massage, including any attachment(s), may contain confidential information protected by law. The information contained herein is for the sole use of the intended recipient(s). If you have received this message in error, please contact the sender at the e-mail address listed above and destroy all copies of the original message, including any attachments. Thank you.